

Structure and optical spectroscopy of Yb(III) complex with o-phenylenedioxydiacetic acid.

Autorzy

Paula Gawryszewska

Zbigniew Ciunik

Dagmara Kulesza

Rok wydania

2011

Czasopismo

Journal of Molecular
Structure

Numer woluminu

988

Strony

59-64

DOI

10.1016/j.molstruc.2010.12.003

Kolekcja

Naukowa

Język

Angielski

Typ publikacji

Artykuł

Streszczenie

The Na[Ln(C₁₀H₈O₆)₂(H₂O)₂] \cdot 2H₂O (where Ln = Yb(III), Lu(III)) monocrystals have been obtained and the crystal structure has been solved. The Yb(III) complex forms a structure with the space group *P2₁/c* and *a* = 15.528(1) Å, *b* = 21.098(1) Å, *c* = 7.766(1) Å, and β = 92.58(2)°. Optical properties of this complex have been investigated using the methods of absorption (293 K, 4 K), luminescence (77 K) and IR spectroscopy. The ligand-field splitting in the relevant states can be determined from low-temperature high-resolution absorption and luminescence. The split of ²F_{5/2} and ²F_{7/2} has been determined as 540 and 592 cm⁻¹, respectively. The f–f luminescence has not been induced by exciting into the ¹ π –¹ π^* absorption band of the ligand but only by exciting into Yb(III) level with a very short ²F_{5/2} level decay time equal to 0.32 and 0.69 μ s at 293 and 77 K, respectively.

Słowa kluczowe

crystal structure, Yb(III), Absorption, luminescence, O-phenylenedioxydiacetic acid

Adres publiczny

<https://doi.org/10.1016/j.molstruc.2010.12.003>

Strona internetowa wydawcy

<http://www.elsevier.com>